Building 501 Emergency Action Plan

Definition of Terms and Symbols



Location of building exit: A fire exit that is not wheelchair accessible.



Location of accessible exit: An exit that is accessible to those with a mobility impairment. It is wheelchair accessible.



Location of area of refuge: A safe area to stay and await assistance during a fire. This may be a dedicated area of refuge either inside or outside the building, or this may be an enlarged floor level landing inside an exit stairwell.



Interior area of refuge: The extent of an area dedicated for the safe harboring of persons awaiting assistance during an emergency.



Exit stairwell location: A stairwell in a fire-safe enclosure. The letter designates the stairwell's identifier for emergency personnel.



Boundaries of the exit access corridor: The extent of a corridor, hallway, or aisleway used for the purpose of gaining access to an exit door or exit stairwell. Must be kept clear for instantaneous use.



Muster point: A location at a safe distance outside the building where building personnel must gather during an emergency to await instructions and report any emergency information.



Tornado shelter: An area designated for safe harbor during an extreme weather emergency or for interior shelter-in-place.




Outdoor area of assisted rescue: The extents of an outdoor area dedicated for the safe harboring of persons awaiting assistance during an emergency.


Building 501 First Floor Emergency Action Plan




Building 501 Second Floor Emergency Action Plan



Building 501 Third Floor Emergency Action Plan



Building 501 Basement Floor Emergency Action Plan



Building 501 Muster Points

